

Leaded Inductors (Fixed Choke Coils)

FASTRON leaded inductors come with a very wide inductance range from 0.1µH to 100 000µH and with high Q values. They are available in tape and ammopack packing.

 Applications
 These components are suitable for decoupling and interference suppression.

 Communication: RF blocking and filtering, e.g. 12 ~ 16 kHz blocking filter
 Others: Automotive electronics, electronic household appliances, entertainment electronics and lighting devices

Technical Data

| L – Value (rated inductance) | Measured with Bode 100 Vector Network Analyzer at frequency f | | | | | |
|---------------------------------|---|--|--|--|--|--|
| Q – Factor (min) | Measured with Bode 100 Vector Network Analyzer at frequency fo | | | | | |
| SRF (min) | Measured with HP 8753ES Network Analyzer | | | | | |
| DCR (max) | Measured at 25°C | | | | | |
| Rated DC Current | I based on temperature rise, determined at the point where the temperature rise does not exceed | | | | | |
| | 40°C above the ambient temperature of 25°C | | | | | |
| | 11 Current based on ambient temperature of 40°C and component temperature of max. 125°C | | | | | |
| | Isat Current based on inductivity drop of 10% related to the unloaded inductivity | | | | | |
| Operating Temperature | -55°C to +125°C (includes component self-heating) | | | | | |
| Recommended soldering method | Wave | | | | | |
| Solderability | Using lead free solder (Sn 99.9) at 260°C ± 5°C for 5 ± 0.5 seconds, min 90% solder coverage of | | | | | |
| | metallization | | | | | |
| | Standard: IEC 68-2-20 (Ta) | | | | | |
| Resistance to Soldering Heat | Resistant to $260^{\circ}C \pm 5^{\circ}C$ for 10 ± 1 seconds | | | | | |
| | Standard: IEC 68-2-20 (Tb) | | | | | |
| Resistance to Solvent | Resistant to Isopropyl alcohol for 5 ± 0.5 minutes at 23°C ± 5°C | | | | | |
| | Standard: IEC 68-2-45 | | | | | |
| Climatic Test | Defined by the following standards | | | | | |
| | IEC 68-2-1 for Cold test: -55°C for 96 hours | | | | | |
| | IEC 68-2-2 for Dry heat test: +125°C for 96 hours | | | | | |
| T 1 01 11 11 | IEC 60068-2-78 for Humidity test: 40°C at RH 95% for 4 days | | | | | |
| Tensile Strength of Leads | Components withstand a pulling force of 10N for 10 ± 1 seconds | | | | | |
| (Pull Test) Mechanical Shock | IEC 60068-2-21 (Ua1) Mil-Std 202 Method 213 | | | | | |
| Mechanical Shock | Condition C | | | | | |
| | 3 axis, 6 times, total 18 shocks | | | | | |
| | 100 G, 6 ms, half-sine | | | | | |
| Vibration | Mil-Std 202 Method 204 | | | | | |
| VIDIAUUII | 20 mins at 5G | | | | | |
| | 10 Hz to 2000 Hz | | | | | |
| | 12 cycles each of 3 orientations | | | | | |
| | 12 Gyores Each of 5 Oherhallons | | | | | |

Colour Coding Reference according to IEC 60062 :

| • | | | | | | | | |
|----------|--------|--------|---------|--------|--------|------|--|--|
| | L (µH) | Nomi | Tol. ** | | | | | |
| Cod | e 🔨 | Band 1 | Band 2 | Band 3 | Band 4 | code | | |
| G | old | | | x 0.1 | ± 5% | J | | |
| Si | ver | | | x0.01 | ± 10 % | К | | |
| CI | ear | | | | ± 20 % | М | | |
| Bl | ack | | 0 | x1 | | | | |
| Bro | own | 1 | 1 | x10 | ±1% | F | | |
| R | ed | 2 | 2 | x100 | ±2% | G | | |
| Ora | ange | 3 | 3 | x1000 | ±3% | А | | |
| Ye | low | 4 | 4 | x10000 | | | | |
| Gr | een | 5 | 5 | | | | | |
| В | ue | 6 | 6 | | | | | |
| Vie | olet | 7 | 7 | | | | | |
| G | rey | 8 | 8 | | | | | |
| W | hite | 9 | 9 | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Ordering Code

Example: SMCC-180X-YY

SMCC - **180 X** - **YY** (Model) (Inductance Value) (Tolerance) (Packing Code)

SMCC-180K-01

Core Type

e - Ferrite, Phenolic


Tolerances - F (1%), G (2%), H (2.5%), A (3%), J (5%), K (10%), M (20%)

| | | | <i>/// /////////////////////////////////</i> | | |
|--------------|--------------|--------------|--|--|--|
| Packing Code | Packing Form | Taped / Reel | Taped / Ammopack | | |
| | Axial | 01 | 02 | | |
| | Radial | 31, 51 | 32 | | |



Packing Specification








Fig. 3: Axial Standard Taping (65mm) Packing code : 01, 02




Fig. 5: Radial Taping Packing code : 31, 32




Fig. 4: Axial Narrow Taping (38mm)




Fig. 6: Ammopack, radial Packing code : 32






Fig. 2: Ammopack, axial Packing code : 02














Fig. 8: Axial preformed Packing code : 20




Fig. 9: Radial, (with kink) loose form Packing code : 40




Fig. 10: Radial, (without kink) loose form Packing code : 50

