

# **INDUSTRIAL microSD**

# Superior endurance and reliability across industrial applications

Kingston's Industrial microSD card is designed and tested to withstand the most demanding environmental factors. With an operating temperature of -40°C to 85°C, it can operate normally even in extreme desert heat to below freezing conditions. The card utilizes industry-leading pSLC mode to provide top transfer speeds up to 100MB/s read and 80MB/s write<sup>1</sup>. It is rated up to 1920 TBW<sup>2</sup> with 30K P/E cycles and a built-in feature set specific to endurance, performance, and industrial needs. Kingston's Industrial microSD ships with a UHS-I SD adapter and is available in capacities from 8GB-64GB<sup>3</sup>.

- Durable in Extreme Temperatures
- > High Endurance
- > UHS-I Speed Class U3, V30, A1
- Industrial Grade
   Built-In Features

# **FEATURES / BENEFITS**

**Durable in extreme temperatures** — Designed and tested to withstand temperature range of -40°C to 85°C for use in harsh conditions.

**High endurance and reliability** — Up to 1920 TBW<sup>2</sup> and rated to endure 30K P/E cycles to meet requirements for a wide range of industrial applications.

**UHS-I compliant** — Read/write speeds up to 100/80MB/s<sup>1</sup> with U3, V30, and A1 support for Android based applications.

**Industrial grade built-in features** — Strong ECC engine, Wear Leveling, Bad Block management and an optional health monitoring tool to manage the lifespan of your card<sup>4</sup>.

## **SPECIFICATIONS**

#### Capacities<sup>3</sup>

8GB, 16GB, 32GB, 64GB

#### Speed<sup>1</sup>

Up to 100MB/s read, 80MB/s write

#### Performance<sup>1</sup>

Class 10, UHS-I, U3, V30, A1

#### Endurance<sup>2</sup>

Up to 1920 TBW 30K P/E cycles

#### NAND

TLC in pSLC mode

#### microSDHC Card Dimensions

11mm x 15mm x 1mm

## **SD Adapter Dimensions**

24mm x 32mm x 2.1mm

#### **Format**

FAT32 for SDHC and ExFAT for SDXC

### **Operating & Storage Temperature**

-40°C to 85°C

## Voltage

3.3V

## **Industrial Features**

- Bad Block Management
- · Strong ECC Engine
- Power Failure Protection
- · Wear Leveling
- Auto-Refresh Read Distribution Protection
- Dynamic Data Refresh
- SiP System in Package
- · Garbage Collection
- · Health Monitoring

## **Thermal Cycle Testing**

Interval testing completed at various extreme temperatures

#### **Vigorous Temperature Humidity Bias**

Several hundred hours of testing to ensure durability at varying levels of humidity

## **Wide Temp Chamber Testing**

Completed on all SDCIT2 cards prior to production

## Warranty<sup>4</sup>

3 years



## KINGSTON PART NUMBERS

Industrial microSD (SD adapter included)	Industrial microSD (SD adapter not included)
SDCIT2/8GB	SDCIT2/8GBSP
SDCIT2/16GB	SDCIT2/16GBSP
SDCIT2/32GB	SDCIT2/32GBSP
SDCIT2/64GB	SDCIT2/64GBSP



Waterproof⁵



Temperature proof<sup>6</sup>



Shock and vibration proof<sup>7</sup>



Protected from airport x-rays8

- 1. Speed may vary due to host and device configuration
- Terabytes Written (TBW) is derived from the endurance under the highest capacity and is based on internal metrics that quantifies how much data can be written to a card in its lifespan.
- Some of the listed capacity on a Flash storage device is used for formatting and other functions and thus is not available
  for data storage. As such, the actual available capacity for data storage is less than what is listed on the products. For
  more information, qo to Kingston's Flash Memory Guide.
- 4. Kingston Flash Cards are designed and tested for compatibility with consumer-grade market products. It is recommended that you contact Kingston directly for any OEM opportunities or special use applications that are beyond standard daily consumer usage. For more information on intended use, please refer to the Flash Memory Guide.
- 5. IEC/EN 60529 IPX7 certified for protection against continual water submersion up to 30 min. and depth up to 1m.
- 6. With stands temperature range from -40  $^{\circ}\mathrm{C}$  to 85  $^{\circ}\mathrm{C}$
- 7. Based on MIL-STD-883H, METHOD 2002.5 military standard test method.
- 8. Protected against X-ray exposure based on ISO7816-1 guidelines.



