

Pi NolR

Product Name	Pi NoIR - Raspberry Pi Infrared Camera Module
Product Description	Featuring the same 5 megapixel image sensor as the standard Raspberry Pi camera with the infrared cut-off filter removed to increase IR light sensitivity. The Pi NoIR is compatible with Raspberry Pi model A & model B and provides high definition, high sensitivity, low crosstalk and low noise image capture in an ultra small and lightweight design. The camera module connects to the Raspberry Pi board via the CSI connector which is capable of extremely high data rates and it exclusively carries pixel data to the BCM2835 processor.
RS Part Number	790-2811
Specifications	
Image Sensor	Omnivision 5647 CMOS image sensor in a fixed-focus module with IR blocking filter removed
Resolution	5-megapixel
Still picture resolution	2592 x 1944
Max image transfer rate	1080p: 30fps (encode and decode)
	720p: 60fps
Connection to Raspberry Pi	15 Pin ribbon cable, to the dedicated 15-pin MIPI Camera Serial Interface (CSI-2)
Image control functions	Automatic exposure control
	Automatic white balance
	Automatic band filter
	Automatic 50/60 Hz luminance detection
	Automatic black level calibration
Temp range	Operating: -30° to 70°
	Stable image: 0° to 50°
Lens size	1/4″
Dimensions	20 x 25 x 10mm
Weight	3g
Note	The Pi NoIR camera is sensitive to short-wavelength IR radiation (around 880nm) and requires IR illumination to see in the dark

Accessories

:

.



A Raspberry Pi Model B - **756-8308**



▲ Camera case 784-6193



▲ 8GB SD card preprogrammed with NOOBS - **779-6770**



Expansion board
 772-2974



WiFi dongle
760-3621



▲ 10400mAh Li-Ion battery pack **775-7517**



IR Illuminato
 524-5393

••••••

.

