


### **TEACHING RESOURCES**

SCHEMES OF WORK
DEVELOPING A SPECIFICATION
COMPONENT FACTSHEETS
HOW TO SOLDER GUIDE

**LEARN ABOUT SIMPLE LIGHTING CIRCUITS WITH THIS** 

# WHITE LED TORCH KIT



www.kitronik.co.uk/2114



### **Index of Sheets**

**TEACHING RESOURCES** 

**Index of Sheets** 

Introduction

Schemes of Work

**Answers** 

The Design Process

The Design Brief

Investigation / Research

**Developing a Specification** 

Design

Design Review (group task)

Soldering in Ten Steps

**Resistor Values** 

**LEDs & Current Limit Resistors** 

**LEDs Continued** 

**Evaluation** 

**Packaging Design** 

**ESSENTIAL INFORMATION** 

**Build Instructions** 

**Checking Your Torch PCB** 

Designing the Enclosure

How the Torch Works

Online Information





























www.kitronik.co.uk/2114



### Introduction

#### About the project kit

Both the project kit and the supporting material have been carefully designed for use in KS3 Design and Technology lessons. The project kit has been designed so that even teachers with a limited knowledge of electronics should have no trouble using it as a basis from which they can form a scheme of work.

The project kits can be used in two ways:

- 1. As part of a larger project involving all aspects of a product design, such as designing an enclosure for the electronics to fit into.
- 2. On their own as a way of introducing electronics and electronic construction to students over a number of lessons.

This booklet contains a wealth of material to aid the teacher in either case.

#### Using the booklet

The first few pages of this booklet contains information to aid the teacher in planning their lessons and also covers worksheet answers. The rest of the booklet is designed to be printed out as classroom handouts. In most cases all of the sheets will not be needed, hence there being no page numbers, teachers can pick and choose as they see fit.

Please feel free to print any pages of this booklet to use as student handouts in conjunction with Kitronik project kits.

### Support and resources

You can also find additional resources at <a href="www.kitronik.co.uk">www.kitronik.co.uk</a>. There are component fact sheets, information on calculating resistor and capacitor values, puzzles and much more.

Kitronik provide a next day response technical assistance service via e-mail. If you have any questions regarding this kit or even suggestions for improvements, please e-mail us at:

support@kitronik.co.uk

Alternatively, phone us on 0845 8380781.





























www.kitronik.co.uk/2114



### **Schemes of Work**

Two schemes of work are included in this pack; the first is a complete project including the design & manufacture of an enclosure for the kit (below). The second is a much shorter focused practical task covering just the assembly of the kit (next page). Equally, feel free to use the material as you see fit to develop your own schemes.

Before starting we would advise that you to build a kit yourself. This will allow you to become familiar with the project and will provide a unit to demonstrate.

#### Complete product design project including electronics and enclosure

Hour 1	Introduce the task using 'The Design Brief' sheet. Demonstrate a built unit. Take students through the
nour 1	
	design process using 'The Design Process' sheet.
	Homework: Collect examples of lighting product including some torches. List the common features of
	these products on the 'Investigation / Research' sheet.
Hour 2	Develop a specification for the project using the 'Developing a Specification' sheet.
	Resource: Sample of torches.
	Homework: Using the internet or other search method, find out what is meant by 'design for
	manufacture'. List five reasons why design for manufacture should be considered on any design project.
Hour 3	Read 'Designing the Enclosure' sheet. Develop a product design using the 'Design' sheet.
	Homework: Complete design.
Hour 4	Using cardboard, get the students to model their enclosure design. Allow them to make alterations to
	their design if the model shows any areas that need changing.
Hour 5	Split the students into groups and get them to perform a group design review using the 'Design Review'
	sheet.
Hour 6	Using the 'Soldering in Ten Steps' sheet, demonstrate and get students to practice soldering. Start the
	'Resistor Value' worksheet and the information on 'LEDs & Current Limit Resistors'.
	Homework: Complete any of the remaining resistor tasks.
Hour 7	Build the electronic kit using the 'Build Instructions'.
Hour 8	Complete the build of the electronic kit. Check the completed PCB and fault find if required using the
	'Checking Your Torch PCB' section.
	Homework: Read 'How the Torch Works' sheet in conjunction with the LED sheet.
Hour 9	Build the enclosure.
Hour 10	Build the enclosure.
Hour 11	Build the enclosure.
Hour 12	Using the 'Evaluation' and 'Improvement' sheet, get the students to evaluate their final product and
	state where improvements can be made.
<u> </u>	•

#### **Additional Work**

Package design for those who complete ahead of others.





























www.kitronik.co.uk/2114



## Electronics only

Hour 1	Introduction to the kit demonstrating a built unit. Using the 'Soldering in Ten Steps' sheet, practice
	soldering.
Hour 2	Build the kit using the 'Build Instructions'.
Hour 3	Check the completed PCB and fault find if required using the 'Checking Your Torch PCB' section.

### **Answers**

### Resistor questions

1st Band	2nd Band	Multiplier x	Value
Brown	Black	Yellow	100,000 Ω
Green	Blue	Brown	560 Ω
Brown	Grey	Yellow	180,000Ω
Orange	White	Black	39Ω

Value	1st Band	2nd Band	Multiplier x
180 Ω	Brown	Grey	Brown
3,900 Ω	Orange	White	Red
47,000 (47K) Ω	Yellow	Violet	Orange
1,000,000 (1M) Ω	Brown	Black	Green





























www.kitronik.co.uk/2114



**Design Brief** 

Investigation

**Specification** 

Design

Build

**Evaluate** 

**Improve** 

# **The Design Process**

The design process can be short or long, but will always consist of a number of steps that are the same on every project. By splitting a project into these clearly defined steps, it becomes more structured and manageable. The steps allow clear focus on a specific task before moving to the next phase of the project. A typical design process is shown on the right.

#### Design brief

What is the purpose or aim of the project? Why is it required and who is it for?

#### Investigation

Research the background of the project. What might the requirements be? Are there competitors and what are they doing? The more information found out about the problem at this stage, the better, as it may make a big difference later in the project.

#### Specification

This is a complete list of all the requirements that the project must fulfil - no matter how small. This will allow you to focus on specifics at the design stage and to evaluate your design. Missing a key point from a specification can result in a product that does not fulfil its required task.

#### Design

Develop your ideas and produce a design that meets the requirements listed in the specification. At this stage it is often normal to prototype some of your ideas to see which work and which do not.

#### Build

Build your design based upon the design that you have developed.

#### **Evaluate**

Does the product meet all points listed in the specification? If not, return to the design stage and make the required changes. Does it then meet all of the requirements of the design brief? If not, return to the specification stage and make improvements to the specification that will allow the product to meet these requirements and repeat from this point. It is normal to have such iterations in design projects, though you normally aim to keep these to a minimum.

#### *Improve*

Do you feel the product could be improved in any way? These improvements can be added to the design.































www.kitronik.co.uk/2114



# **The Design Brief**


A manufacturer has developed a simple circuit for producing a high brightness LED torch. The circuit has been developed to the point where they have a working Printed Circuit Board (PCB). The manufacturer would like ideas for an enclosure – a product to house the electronics.

The manufacturer has asked you to do this for them. It is important that you make sure that the final design meets all of the requirements that you identify for such a product.



#### **Complete Circuit**

A fully built circuit is shown below.

































www.kitronik.co.uk/2114



# **Investigation / Research**

Using a number of different search methods, find examples of similar products that are already on the market. Use additional pages if required.

Name	Class































www.kitronik.co.uk/2114



# **Developing a Specification**

Using your research into the target market for the product, identify the key requirements for the product and explain why each of these is important.

Name	Class
Requirement	Reason
Example: The enclosure should allow access to the on / off switch.	Example: So that the torch can be turned on and off.



























www.kitronik.co.uk/2114



# **Design**

Develop your ideas to produce a design that meets the required	ments listed in the specification.
Name	Class































www.kitronik.co.uk/2114



# **Design Review (group task)**

Split into groups of three or four. Take it in turns to review each person's design against the requirements of their specification. Also look to see if you can spot any additional aspects of each design that may cause problems with the final product. This will allow you to ensure that you have a good design and catch any faults early in the design process. Note each point that is made and the reason behind it. Decide if you are going to accept or reject the comment made. Use these points to make improvements to your initial design.

Comment	Reason for comment	Accept or Reject

































www.kitronik.co.uk/2114



# **Soldering in Ten Steps**


- 1. Start with the smallest components working up to the taller components, soldering any interconnecting wires last.
- 2. Place the component into the board, making sure that it goes in the right way around and the part sits flush against the board.
- 3. Bend the leads slightly to secure the part.
- 4. Make sure that the soldering iron has warmed up and if necessary, use the damp sponge to clean the
- Place the soldering iron on the pad.
- 6. Using your free hand, feed the end of the solder onto the pad (top picture).
- 7. Remove the solder, then the soldering iron.
- 8. Leave the joint to cool for a few seconds.
- 9. Using a pair of cutters, trim the excess component lead (middle picture).
- 10. If you make a mistake heat up the joint with the soldering iron, whilst the solder is molten, place the tip of your solder extractor by the solder and push the button (bottom picture).







### Solder joints
































www.kitronik.co.uk/2114



### **Resistor Values**

A resistor is a device that opposes the flow of electrical current. The bigger the value of a resistor, the more it opposes the current flow. The value of a resistor is given in  $\Omega$  (ohms) and is often referred to as its 'resistance'.

#### Identifying resistor values



Example: Band 1 = Red, Band 2 = Violet, Band 3 = Orange, Band 4 = Gold

The value of this resistor would be:

**2** (Red) **7** (Violet) x **1,000** (Orange)

 $= 27 \times 1,000$ 

= **27,000** with a 5% tolerance (gold)

**= 27KΩ** 

#### Too many zeros?

Kilo ohms and mega ohms can be used:

 $1,000\Omega = 1K$ 

1,000K = 1M

#### Resistor identification task

Calculate the resistor values given by the bands shown below. The tolerance band has been ignored.

1st Band	2nd Band	Multiplier x	Value
Brown	Black	Yellow	
Green	Blue	Brown	
Brown	Grey	Yellow	
Orange	White	Black	





























www.kitronik.co.uk/2114



#### Calculating resistor markings

Calculate what the colour bands would be for the following resistor values.

Value	1st Band	2nd Band	Multiplier x
180 Ω			
3,900 Ω			
47,000 (47K) Ω			
1,000,000 (1M) Ω			

#### What does tolerance mean?

Resistors always have a tolerance but what does this mean? It refers to the accuracy to which it has been manufactured. For example if you were to measure the resistance of a gold tolerance resistor you can guarantee that the value measured will be within 5% of its stated value. Tolerances are important if the accuracy of a resistors value is critical to a design's performance.

#### Preferred values

There are a number of different ranges of values for resistors. Two of the most popular are the E12 and E24. They take into account the manufacturing tolerance and are chosen such that there is a minimum overlap between the upper possible value of the first value in the series and the lowest possible value of the next. Hence there are fewer values in the 10% tolerance range.

E-12 resistance tolerance (± 10%)											
10	12	15	18	22	27	33	39	47	56	68	82

E-24 resistance tolerance ( $\pm$ 5 $\%$ )										
10 11 12 13 15 16 18 20 22 24 27 30									30	
33	33 36 39 43 47 51 56 62 68 75 82 91									





























www.kitronik.co.uk/2114



### **LEDs & Current Limit Resistors**

Before we look at LEDs, we first need to start with diodes. Diodes are used to control the direction of flow of electricity. In one direction they allow the current to flow through the diode, in the other direction the current is blocked.



An LED is a special diode. LED stands for Light Emitting Diode. LEDs are like normal diodes, in that they only allow current to flow in one direction, however when the current is flowing the LED lights.

The symbol for an LED is the same as the diode but with the addition of two arrows to show that there is light coming from the diode. As the LED only allows current to flow in one direction, it's important that we can work out which way the electricity will flow. This is indicated by a flat edge on the LED.

For an LED to light properly, the amount of current that flows through it needs to be controlled. To do this we use a current limit resistor. If we didn't use a current limit resistor the LED would be very bright for a short amount of time, before being permanently destroyed.

To work out the best resistor value we need to use Ohms Law. This connects the voltage across a device and the current flowing through it to its resistance.


Ohms Law tells us that the flow of current (I) in a circuit is given by the voltage (V) across the circuit divided by the resistance (R) of the circuit.

$$I = \frac{V}{R}$$

Like diodes, LEDs drop some voltage across them: typically 1.8 volts for a standard LED. However the high brightness LED used in the 'white light' version of the lamp drops 3.5 volts.

The USB lamp runs off the 5V supply provided by the USB connection so there must be a total of 5 volts dropped across the LED (V<sub>LED</sub>) and the resistor (V<sub>R</sub>). As the LED manufacturer's datasheet tells us that there is 3.5 volts dropped across the LED, there must be 1.5 volts dropped across the resistor.  $(V_{LED} + V_R = 3.5 + 1.5 = 5V)$ .

LEDs normally need about 10mA to operate at a good brightness. Since we know that the voltage across the current limit resistor is 1.5 volts and we know that the current flowing through it is 0.01 Amps, the resistor can be calculated.



Using Ohms Law in a slightly rearranged format:

$$R = \frac{V}{I} = \frac{1.5}{0.01} = 150\Omega$$

Hence we need a  $150\Omega$  current limit resistor.





























www.kitronik.co.uk/2114



### **LEDs Continued**

The Colour Changing LEDs used in the 'colour' version of the lamp has the current limit resistor built into the LED itself. Therefore no current limit resistor is required. Because of this, a 'zero  $\Omega$ ' resistor is used to connect the voltage supply of 5V directly to the Colour Changing LED.

#### **Packages**

LEDs are available in many shapes and sizes. The 5mm round LED is the most common. The colour of the plastic lens is often the same as the actual colour of light emitted – but not always with high brightness LEDs.

#### Advantages of using LEDs over bulbs

Some of the advantages of using an LED over a traditional bulb are:

Power efficiency LEDs use less power to produce the same amount of light, which means that they are

more efficient. This makes them ideal for battery power applications.

Long life LEDs have a very long life when compared to normal light bulbs. They also fail by

gradually dimming over time instead of a sharp burn out.

Low temperature Due to the higher efficiency of LEDs, they can run much cooler than a bulb.

Hard to break LEDs are much more resistant to mechanical shock, making them more difficult to break

than a bulb.

Small LEDs can be made very small. This allows them to be used in many applications, which

would not be possible with a bulb.

Fast turn on LEDs can light up faster than normal light bulbs, making them ideal for use in car break

lights.

### Disadvantages of using LEDs

Some of the disadvantages of using an LED over a traditional bulb are:

LEDs currently cost more for the same light output than traditional bulbs. However, this Cost

needs to be balanced against the lower running cost of LEDs due to their greater efficiency.

To work in the desired manner, an LED must be supplied with the correct current. This could Drive circuit

take the form of a series resistor or a regulated power supply.

Directional LEDs normally produce a light that is focused in one direction, which is not ideal for some

applications.

### Typical LED applications

Some applications that use LEDs are:

- Bicycle lights
- Car lights (break and headlights)
- Traffic lights
- Indicator lights on consumer electronics
- **Torches**
- Backlights on flat screen TVs and displays
- Road signs
- Information displays
- Household lights
- Clocks































www.kitronik.co.uk/2114



## **Evaluation**

Good aspects of the design

It is always important to evaluate your design once it is complete. This will ensure that it has met all of the requirements defined in the specification. In turn, this should ensure that the design fulfils the design brief.

Check that your design meets all of the points listed in your specification.

Show your product to another person (in real life this person should be the kind of person at which the product is aimed). Get them to identify aspects of the design, which parts they like and aspects that they feel could be improved.

Areas that could be improved

Improvements  Every product on the market is constantly subject to redesign and improvement. What aspects of your design do you feel you could improve? List the aspects that could be improved and where possible, draw a sketch showing the	
changes that you would make.	proved and where possible, draw a sketch showing the































www.kitronik.co.uk/2114



# **Packaging Design**

If your product was to be sold in a high street electrical retailer, what requirements would the packaging have? List these giving the reason for the requirement.

Requirement	neason
Develop a packaging design for your product that meets these requirements. Use additional pages if required.	


































### **ESSENTIAL INFORMATION**

BUILD INSTRUCTIONS
CHECKING YOUR PCB & FAULT-FINDING
MECHANICAL DETAILS
HOW THE KIT WORKS

**LEARN ABOUT SIMPLE LIGHTING CIRCUITS WITH THIS** 

# WHITE LED TORCH KIT



## White LED Torch Essentials

www.kitronik.co.uk/2114



### **Build Instructions**

Before you start, take a look at the Printed Circuit Board (PCB). The components go in the side with the writing on and the solder goes on the side with the tracks and silver pads.



#### **PLACE RESISTOR**

Start with the  $680\Omega$  resistor that is marked with blue, grey, brown coloured bands. Solder the resistor into the PCB where it is labelled R1. It doesn't matter which way around the resistor goes into the board.



#### **SOLDER THE LED**

Place the Light Emitting Diode (LED) in to LED1. The light won't work if it doesn't go in the right way around. If you look carefully one side of the LED has a flat edge, which must line up with the flat edge on the outline on the PCB. You will need to put a 90° bend into the LED legs, just make sure that you bend it so that the flat edge on the LED is next to the flat edge on the board. Once you are happy, solder into place.





#### **SOLDER THE ON / OFF SWITCH**

Solder the PCB Mount Right Angled On / Off Switch in to SW1. The row of three pins that exit the back of the switch must be soldered but it won't matter too much if you can't solder the other two pins.





#### **SOLDER THE BATTERY CAGE**

Finally the battery holder needs to be soldered into the board where it is marked CONN1. The battery holder outline on your PCB shows the spring. Make sure when you put the holder into the board that the spring on the holder lines up with the spring marked on the board.































# White LED Torch Essentials

www.kitronik.co.uk/2114



# **Checking Your Torch PCB**

Check the following before you insert the battery:

#### Check the bottom of the board to ensure that:

- All holes (except the large mounting hole) are filled with the lead of a component.
- All these leads are soldered.
- Pins next to each other are not soldered together.

#### Check the top of the board to ensure that:

- The flat edge on the LED matches the outline on the PCB.
- The spring on the battery holder is next to the resistor.



























## White LED Torch Essentials

www.kitronik.co.uk/2114





# **Designing the Enclosure**

When you design the enclosure, you will need to consider:

- The size of the PCB.
- Where the LED is mounted.
- Where the on / off switch is mounted.
- There is a 3mm hole at the back of the torch to secure the PCB to your enclosure. Depending on your design, you may be able to hold the board in place with a key ring.


This technical drawing of the built torch PCB should help you to design your enclosure.





All dimensions in mm. x1 mounting hole 3.3mm diameter.

The diameter of the LED is 5mm.



#### Mounting the PCB to the enclosure

The drawing to the left shows how a hex spacer can be used with two bolts to fix the PCB to the enclosure.

Your PCB has four mounting holes designed to take M3 bolts.






























www.kitronik.co.uk/2114



### **How the Torch Works**



The circuit diagram for the torch is shown above. It is a very simple circuit, powered by a 12 Volt battery.

The LED would be damaged if the current through it was not limited. A  $680\Omega$  resistor has been selected to limit the current through the LED. This allows approximately 10mA to flow through the LED so that it is at a good brightness.

Finally the on / off switch allows the circuit to be opened, when the LED will be off, or completed, when the LED will be on.





























### **Online Information**

Two sets of information can be downloaded from the product page where the kit can also be reordered from. The 'Essential Information' contains all of the information that you need to get started with the kit and the 'Teaching Resources' contains more information on soldering, components used in the kit, educational schemes of work and so on and also includes the essentials. Download from:

www.kitronik.co.uk/2114



This kit is designed and manufactured in the UK by Kitronik

Telephone: +44 (0) 845 8380781

Sales email: sales@kitronik.co.uk

Tech support email: support@kitronik.co.uk

Web: www.kitronik.co.uk

www.kitronik.co.uk/twitter

www.kitronik.co.uk/facebook

www.kitronik.co.uk/youtube

g www.kitronik.co.uk/google

Every effort has been made to ensure that these notes are correct, however Kitronik accept no responsibility for issues arising from errors / omissions in the notes.

© Kitronik Ltd - Any unauthorised copying / duplication of this booklet or part thereof for purposes except for use with Kitronik project kits is not allowed without Kitronik's prior consent.



























