

according to Regulation (EC) No 1907/2006 (REACH) as amended

EASY PRINT Sn96,5/Ag3/Cu0,5

Creation date 26. June 2006

Revision date 03. November 2018 Version 1.6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier EASY PRINT Sn96,5/Ag3/Cu0,5

Substance / mixture mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

mixture's intended use Soldering paste

referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name AG TermoPasty Grzegorz Gąsowski Address Kolejowa 33 E, Sokoły, 18-218

Poland

 Identification number (ID)
 200133730

 VAT Reg No
 9661767714

 Phone
 862741342

E-mail biuro@termopasty.pl Web address www.termopasty.pl

Competent person responsible for the safety data sheet

Name AG TermoPasty Grzegorz Gąsowski

E-mail biuro@termopasty.pl

1.4. Emergency telephone number

National Health Service (NHS) 111

National poisoning information centre Scotland, NHS 24: 111

SECTION 2: Hazards identification

2.1. Substance or mixture classification

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Sens. 1, H317

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

May cause an allergic skin reaction.

2.2. Label elements

Hazard pictogram



Signal word

Warning

Hazardous substances

rosin; colophony **Hazard statements**

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust. P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.



according to Regulation (EC) No 1907/2006 (REACH) as amended

EASY PRINT Sn96,5/Ag3/Cu0,5

Creation date 26. June 2006

Revision date 03. November 2018 Version 1.6

P501 Dispose of contents/container to by handing over to the person authorized to dispose of

waste or by returning to the supplier.

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note.
CAS: 7440-31-5 EC: 231-141-8	tin	85-88,11		
Index: 650-015-00-7 CAS: 8050-09-7 EC: 232-475-7	rosin; colophony	3,3	Skin Sens. 1, H317	
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6	2-(2-butoxyethoxy) ethanol	1,1	Eye Irrit. 2, H319	1, 3
CAS: 7440-50-8 EC: 231-159-6		0,445- 0,623	Aquatic Acute 1, H400, M=1 Aquatic Chronic 3, H412	
Index: 603-176-00-2 CAS: 112-49-2 EC: 203-977-3	1,2-bis(2-methoxyethoxy) ethane	0,29	Repr. 1B, H360Df	2, 3
CAS: 7440-22-4 EC: 231-131-3	silver	0,1- <0,25	Aquatic Acute 1, H400, M=1 Aquatic Chronic 1, H410, M=1	1

Notes

- Substance for which exposure limits of Community for working environment exist.
- Substance of very high concern SVHC.
- The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

Inhalation

Terminate the exposure immediately; move the affected person to fresh air.

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

Rinse out the mouth with clean water. In the event of issues, find medical help.



according to Regulation (EC) No 1907/2006 (REACH) as amended

EASY PRINT Sn96,5/Ag3/Cu0,5

Creation date 26. June 2006

Revision date 03. November 2018 Version 1.6

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

Not expected.

Skin contact

May cause an allergic skin reaction.

Eye contact

Not expected.

Ingestion

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

European Union

Substance name (component)	Туре	Time of exposure	Value	Note	Source
2-(2-butoxyethoxy) ethanol (CAS: 112-34-5)	OEL	8 hours	67,5 mg/m ³		EU limits



according to Regulation (EC) No 1907/2006 (REACH) as amended

EASY PRINT Sn96,5/Ag3/Cu0,5

Creation date 26. June 2006

Revision date 03. November 2018 Version 1.6

European Union

-					
Substance name (component)	Туре	Time of exposure	Value	Note	Source
	OEL	8 hours	10 ppm		
2-(2-butoxyethoxy) ethanol (CAS: 112-34-5)	OEL	Short-term	101,2 mg/m ³		EU limits
	OEL	Short-term	15 ppm		
silver (CAS: 7440-22-4)	OEL	8 hours	0,01 mg/m ³		EU limits

United Kingdom of Great Britain and Northern Ireland

Substance name (component)	Туре	Time of exposure	Value	Note	Source	
tip (CAS: 7440 21 E)	WEL	8 hours	2 mg/m³	Tin compounds, inorganic, except SnH4	Gestis	
tin (CAS: 7440-31-5)	WEL	Short-term	4 mg/m³	Tin compounds, inorganic, except SnH4	Gestis	
rosin; colophony (CAS: 8050-	WEL	8 hours	0,05 mg/m ³	Capable of causing occupational asthma.	GBR	
09-7)	WEL	15 minutes	0,15 mg/m ³	Capable of causing occupational asthma.	GBK	
	WEL	8 hours	67,5 mg/m ³			
2-(2-butoxyethoxy) ethanol	WEL	15 minutes	101,2 mg/m ³		GBR	
(CAS: 112-34-5)	WEL	8 hours	10 ppm		GBK	
	WEL	15 minutes	15 ppm			
	WEL	8 hours	0,2 mg/m ³			
copper (CAS: 7440-50-8)	WEL	8 hours	1 mg/m³	Dust and fume, As Cu	GBR	
	WEL	15 minutes	2 mg/m³	Dust and fume, As Cu		
silver (CAS: 7440-22-4)	WEL	8 hours	0,1 mg/m ³	Metal	GBR	

Page



according to Regulation (EC) No 1907/2006 (REACH) as amended

EASY PRINT Sn96,5/Ag3/Cu0,5

Creation date 26. June 2006

Revision date 03. November 2018 1.6 Version

DNEL

rosin; colophony

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Dermal	25 mg/kg bw/day	Systemic chronic effects	
Workers	Inhalation	176.32 mg/m ³	Systemic chronic effects	
Consumers	Oral	15 mg/kg bw/day	Systemic chronic effects	
Consumers	Dermal	15 mg/kg bw/day	Systemic chronic effects	
Consumers	Inhalation	52.174 mg/m ³	Systemic chronic effects	

tin

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Dermal	133.3 mg/kg bw/day	Systemic acute effects	
Workers	Dermal	133.3 mg/kg bw/day	Systemic chronic effects	
Workers	Inhalation	11.75 mg/m ³	Systemic acute effects	
Workers	Inhalation	11.75 mg/m ³	Systemic chronic effects	
Consumers	Oral	80 mg/kg bw/day	Systemic acute effects	
Consumers	Oral	80 mg/kg bw/day	Systemic chronic effects	
Consumers	Dermal	80 mg/kg bw/day	Systemic acute effects	
Consumers	Dermal	80 mg/kg bw/day	Systemic chronic effects	
Consumers	Inhalation	3.476 mg/m ³	Systemic acute effects	
Consumers	Inhalation	3.476 mg/m ³	Systemic chronic effects	

PNEC

rosin; colophony

Route of exposure	Value	Determining method
Drinking water	0.005 mg/l	
Seawater	0.0005 mg/l	
Freshwater sediment	108 mg/kg of dry substance	
Sea sediments	10.8 mg/kg of dry substance	
Soil (agricultural)	21.4 mg/kg of dry substance	
Microorganisms in wastewater treatment plants	1000 mg/l	

8.2. **Exposure controls**

not available

Eye/face protection

not available

Skin protection

not available

Page



according to Regulation (EC) No 1907/2006 (REACH) as amended

EASY PRINT Sn96,5/Ag3/Cu0,5

Creation date 26. June 2006

Revision date 03. November 2018 Version 1.6

Respiratory protection

not available

Thermal hazard

not available

Environmental exposure controls

not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance paste
Physical state solid at 20°C
color grey

Odour threshold data not available pH data not available

Melting point/freezing point 179 °C Initial boiling point and boiling range 260 °C Flash point 141 °C

Evaporation rate data not available Flammability (solid, gas) data not available

Upper/lower flammability or explosive limits

flammability limits data not available explosive limits data not available Vapour pressure 0.05 at 20 °C Vapour density data not available Relative density data not available

Solubility(ies)

solubility in water insoluble

solubility in fats data not available
Partition coefficient: n-octanol/water data not available
Auto-ignition temperature data not available
Decomposition temperature data not available
Viscosity data not available
Explosive properties data not available
Oxidising properties data not available

9.2. Other information

Density 1.2 g/cm³

ignition temperature data not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.



according to Regulation (EC) No 1907/2006 (REACH) as amended

EASY PRINT Sn96,5/Ag3/Cu0,5

Creation date 26. June 2006

1.6 Revision date 03. November 2018 Version

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

rosin; colophony

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD50	2800 mg/kg		Rat (Rattus norvegicus)	
Oral	LD50	>1000-<2000 mg/kg		Guinea-pig (Cavia aperea f. porcellus)	
Dermal	LD50	>2000 mg/kg		Rat (Rattus norvegicus)	

tin

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Oral	LD50	2000-≤5000 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD50	2000-≤5000 mg/kg		Rat (Rattus norvegicus)	
Inhalation	LC50	>4.75 mg/l		Rat (Rattus norvegicus)	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

EASY PRINT Sn96,5/Ag3/Cu0,5

Creation date 26. June 2006

Revision date 03. November 2018 Version 1.6

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

rosin; colophony

Parameter	Method	Value	Time of exposure	Species	Environme nt	Source
LC50	OECD 203	60.3 mg/l	96 hour	Branchydanio rerio		Scheerba um D

tin

Parameter	Method	Value	Time of exposure	Species	Environme nt	Source
EC50		1.303 mg/l		Invertebrates (Ceriodaphnia dubia)		

12.2. Persistence and degradability

Not available.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Niebezpieczeństwo skażenia środowiska, postępuj zgodnie z Ustawą Dz. U. 2013 r., poz. 21 o odpadach oraz przepisami wykonawczymi dotyczącymi utylizacji odpadów. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number

Not subject to ADR.

14.2. UN proper shipping name

not available

14.3. Transport hazard class(es)

not available

14.4. Packing group

not available

14.5. Environmental hazards

not available

14.6. Special precautions for user

Reference in the Sections 4 to 8.



according to Regulation (EC) No 1907/2006 (REACH) as amended

EASY PRINT Sn96,5/Ag3/Cu0,5

Creation date 26. June 2006

Revision date 03. November 2018 Version 1.6

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

1,2-bis(2-methoxyethoxy) ethane

Restriction	Conditions of restriction
30	Without prejudice to the other parts of this Annex the following shall apply to entries 28 to 30: 1. Shall not be placed on the market, or used, — as substances, — as constituents of other substances, or,
	— in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
	— either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
	— the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	"Restricted to professional users".
	 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products: motor fuels which are covered by Directive 98/70/EC, mineral oil products intended for use as fuel in mobile or fixed combustion plants, fuels sold in closed systems (e.g. liquid gas bottles); (d) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.



according to Regulation (EC) No 1907/2006 (REACH) as amended

EASY PRINT Sn96,5/Ag3/Cu0,5

Creation date 26. June 2006
Revision date 03. November 2018 Version 1.6

2-(2-butoxyethoxy) ethanol

Restriction	Conditions of restriction
55	1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.
	2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.
	3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:
	"Do not use in paint spraying equipment".

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H360Df May damage the unborn child. Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P261 Avoid breathing dust.

P501 Dispose of contents/container to by handing over to the person authorized to dispose of

waste or by returning to the supplier.

A list of additional standard phrases used in the safety data sheet

EUH 019 May form explosive peroxides.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and

mixtures

DNEL Derived no-effect level

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying Dangerous

Chemicals

IC50 Concentration causing 50% blockade



according to Regulation (EC) No 1907/2006 (REACH) as amended

LAST PRINT SII30,3/ Ag5/ Cd0,3						
Creation date	26. June 2006					
Revision date	03. November 2018	Version	1.6			

ICAO International Civil Aviation Organization **IMDG** International Maritime Dangerous Goods INCI International Nomenclature of Cosmetic Ingredients

ISO International Organization for Standardization **IUPAC** International Union of Pure and Applied Chemistry

Lethal concentration of a substance in which it can be expected death of 50% of the I C50

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the population

LOAFC Lowest observed adverse effect concentration

Lowest observed adverse effect level LOAEL log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution From Ships

NOAEC No observed adverse effect concentration

NOAEL No observed adverse effect level NOEC No observed effect concentration **NOEL** No observed effect level

OFI Occupational Exposure Limits PBT Persistent, Bioaccumulative and Toxic **PNFC** Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN Model

Regulations

UVCB Substances of unknown or variable composition, complex reaction products or biological

materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Aquatic Acute Hazardous to the aquatic environment Aquatic Chronic Hazardous to the aquatic environment

Eye Irrit. Eye irritation Repr. Reproductive toxicity Skin Sens. Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. First aid principles after the exposure to the chemicals (Zásady pro poskytování první pomoci při expozici chemickým látkám, doc. MUDr. Daniela Pelclová, CSc., MUDr. Alexandr Fuchs, CSc., MUDr. Miroslava Hornychová, CSc., MUDr. Zdeňka Trávníčková, CSc., Jiřina Fridrichovská, prom. chem.). Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 1.6 replaces the SDS version from 12.04.2018. Changes were made in sections 13, 15 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.