

according to Commission Regulation (EU) 2020/878 as amended

Nadsiarczan sodu

Creation date 16th September 2022

Revision date 17th January 2025 Version 11.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

. Product identifier Nadsiarczan sodu

Substance / mixture substance

Chemical name Disodium peroxodisulphate (measured as [S208])

 CAS number
 7775-27-1

 EC (EINECS) number
 231-892-1

 Registration number
 01-2119495975

1.2. Relevant identified uses of the substance or mixture and uses advised against

Substance's intended use

Etching agent.

Substance uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Distributor

Name or trade name AG TermoPasty Grzegorz Gąsowski Address Kolejowa 33 E, Sokoły, 18-218

Poland

Identification number (CRN)200133730VAT Reg NoPL9661767714Phone+48 86 274 13 42E-mailmsds@termopasty.plWeb addresswww.termopasty.com

Competent person responsible for the safety data sheet

Name AG TermoPasty Grzegorz Gąsowski

E-mail msds@termopasty.pl

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the substance in accordance with Regulation (EC) No 1272/2008

The substance is classified as dangerous.

Ox. Sol. 3, H272 Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Resp. Sens. 1, H334 STOT SE 3, H335

Most serious adverse physico-chemical effects

May intensify fire; oxidiser.

Most serious adverse effects on human health and the environment

Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

2.2. Label elements

Hazard pictogram







Signal word

Danger



according to Commission Regulation (EU) 2020/878 as amended

Nadsiarczan sodu

Creation date 16th September 2022 Revision date 17th January 2025

17th January 2025 Version 11.0

Dangerous substance

Disodium peroxodisulphate (measured as [S208])

(EC: 231-892-1; CAS: 7775-27-1)

Hazard statements

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P220 Keep away from clothing and other combustible materials.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands and exposed parts of the body thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 In case of inadequate ventilation wear respiratory protection.

P301+P310 IF SWALLOWED: Immediately call a doctor. P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to in accordance with national regulations.

Label elements for packages not exceeding 125 ml

Hazard pictogram







Signal word

Danger

Dangerous substance

Disodium peroxodisulphate (measured as [S208])

(EC: 231-892-1; CAS: 7775-27-1)

Hazard statements

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 In case of inadequate ventilation wear respiratory protection.

P301+P310 IF SWALLOWED: Immediately call a doctor.
P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to in accordance with national regulations.



according to Commission Regulation (EU) 2020/878 as amended

Nadsiarczan sodu

Creation date 16th September 2022

Revision date 17th January 2025 Version 11.0

2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components. Dust may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

The substance specified below.

Identification numbers	Substance name Content % weig		Classification according to Regulation (EC) No 1272/2008	Note
CAS: 7775-27-1 EC: 231-892-1 Registration number: 01-2119495975	substance main component Disodium peroxodisulphate (measured as [S208])		Ox. Sol. 3, H272 Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Resp. Sens. 1, H334 STOT SE 3, H335	

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. **Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Provide medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



according to Commission Regulation (EU) 2020/878 as amended

Nadsiarczan sodu

Creation date 16th September 2022

Revision date 17th January 2025 Version 11.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. May intensify fire; oxidiser. The substance is flammable. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use of antistatic clothes and footwear is recommended. Do not inhale dust. Prevent contact with skin and eyes. No smoking. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Take any precaution to avoid mixing with combustibles. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL

Disodium peroxodisulphate (measured as [S208])					
Workers / consumers Route of exposu		Value	Effect		
Workers	Inhalation	0.824 mg/m ³	Chronic effects local		
Workers	Dermal	9.1 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	0.421 mg/m ³	Chronic effects local		
Consumers	Dermal	4.6 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	0.46 mg/kg bw/day	Chronic effects systemic		
Consumers	Oral	1.37 mg/kg bw/day	Acute effects systemic		



according to Commission Regulation (EU) 2020/878 as amended

Nadsiarczan sodu

Creation date 16th September 2022

Revision date 17th January 2025 Version 11.0

PNEC

Disodium peroxodisulphate (measured as [S208])					
Route of exposure	Value				
Drinking water	0.518 mg/l				
Marine water	0.052 mg/l				
Freshwater sediment	2.03 mg/kg				
Sea sediments	0.203 mg/kg				
Microorganisms in sewage treatment	3.6 mg/l				
Soil (agricultural)	0.1 mg/kg				

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Half-mask with anti-dust filter when the exposition limits of substances are exceeded or in the location with insufficient ventilation. In case of inadequate ventilation wear respiratory protection.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state solid
Colour white

Odour without fragrance

Melting point/freezing point 180 °C

Boiling point or initial boiling point and boiling range data not available

Flammability non-inflammable Lower and upper explosion limit data not available

Flash point data not available Auto-ignition temperature data not available

Decomposition temperature 180 °C

pH 4-6 (73% solution at 25 °C)

Kinematic viscosity data not available

Solubility in water 730 g/l

Solubility in fats data not available Partition coefficient n-octanol/water (log value) data not available

Vapour pressure
Density and/or relative density

Density 1.68 g/cm³ at 20 °C
Relative vapour density data not available
Particle characteristics data not available

Form powder

9.2. Other information

Created in the aplication SBLCore 2024 Blue (24.12.5) www.sblcore.com

data not available



according to Commission Regulation (EU) 2020/878 as amended

Nadsiarczan sodu

Creation date 16th September 2022

Revision date 17th January 2025 Version 11.0

Evaporation rate non-applicable

Oxidising properties May intensify fire; oxidiser.

SECTION 10: Stability and reactivity

10.1. Reactivity

The substance is oxidizing.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance.

Acute toxicity

Harmful if swallowed.

Disodium peroxodisulphate (measured as [S208])						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀	OECD 401	920 mg/kg		Rat	
Dermal	LD50	OECD 401	10000 mg/kg		Rabbit	
Inhalation	LD ₅₀	OECD 403	5.1 mg/l	4 hours	Rat	
Oral	NOAEL	OECD 421	250 mg/kg		Rat	
Oral	NOAEL	OECD 408	91 mg/kg bw/day		Rat	
Inhalation	NOAEL		103 mg/m ³		Rat	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.



according to Commission Regulation (EU) 2020/878 as amended

Nadsiarczan sodu

Creation date 16th September 2022

Revision date 17th January 2025 Version 11.0

Toxicity for specific target organ - single exposure

May cause respiratory irritation.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on available data the classification criteria are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

not available

Acute toxicity

Disodium peroxodisulphate (measured as [S208])						
Parameter	Method	Value	Exposure time	Species	Environmen t	
EC50	OECD 201	136 mg/l	72 hours	Algae (Phaeodactylum tricornutum)		
EC50		120 mg/l	48 hours	Daphnia (Daphnia magna)		
LC50		76.3 mg/l	96 hours	Fish (Oncorhynchus mykiss)		
LC50		771 mg/l	96 hours	Fish (Lepomis macrochirus)		
LC50		107.6 mg/l	96 hours	Fish (Scophthalmus maximus)		

12.2. Persistence and degradability

Data not available.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Based on available data the classification criteria are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on available data the classification criteria are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations



according to Commission Regulation (EU) 2020/878 as amended

Nadsiarczan sodu

Creation date 16th September 2022 Revision date 17th January 2025

Version 11.0

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 09 04* oxidising substances, not otherwise specified

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1505

14.2. UN proper shipping name

SODIUM PERSULPHATE

14.3. Transport hazard class(es)

5.1 Oxidazing substances

14.4. Packing group

TTT

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.

UN number

Classification code

Safety signs



O2 5.1







according to Commission Regulation (EU) 2020/878 as amended

Nadsiarczan sodu

Creation date 16th September 2022 Revision date 17th January 2025

Version 11.0

Road transport - ADR

Limited quantities 5 kg
Excepted quantities E1

Packaging

Packing instructions P002, IBC08, LP02, R001

Special packing provisions B3
Mixed packing provisions MP10

Portable tanks and bulk containers

Guidelines T1
Special provisions TP33

ADR tank

Tank code SGAV
Special provisions TU3
Vehicles for tank carriage AT
Transport category 3
Tunnel restriction code (E)

Special provision for

bulk VC1, VC2, AP6, AP7

loading, unloading and handling CV24

Railway transport - RID

Excepted quantities E1

Packaging

Packing instructions P002, IBC08, LP02, R001

Special packing provisions B3
Mixed packing provisions MP10

Portable tanks and bulk containers

Guidelines T1
Special provisions TP33

RID Tanks

Tank codeSGAVSpecial provisionsTU3Transport category0

Special provision for

bulk VC1, VC2, AP6, AP7

loading, unloading and handling CW24

Air transport - ICAO/IATA

Packaging instructions for limited amount Y546
Packaging instructions passenger 559
Cargo packaging instructions 563

Marine transport - IMDG

EmS (emergency plan) F-A, S-Q

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has been carried out for this substance by the supplier.



according to Commission Regulation (EU) 2020/878 as amended

Nadsiarczan sodu

Creation date 16th September 2022

Revision date 17th January 2025 Version 11.0

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. Guidelines for safe handling used in the safety data sheet

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 In case of inadequate ventilation wear respiratory protection.

P301+P310 IF SWALLOWED: Immediately call a doctor. P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to in accordance with national regulations.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P220 Keep away from clothing and other combustible materials.

P264 Wash hands and exposed parts of the body thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox. Acute toxicity

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50 % of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System

Eye Irrit. Eye irritation

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population



according to Commission Regulation (EU) 2020/878 as amended

Nadsiarczan sodu

Creation date 16th September 2022 Revision date 17th January 2025

Version 11.0

log KowOctanol-water partition coefficientNOAELNo observed adverse effect levelOELOccupational Exposure Limits

Ox. Sol. Oxidising solid

PBT Persistent, bioaccumulative and toxic

PMT Persistent, mobile and toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

Resp. Sens. Respiratory sensitization

RID Agreement on the transport of dangerous goods by rail

Skin Irrit. Skin irritation
Skin Sens. Skin sensitization

STOT SE Specific target organ toxicity - single exposure

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very persistent and very bioaccumulative

vPvM Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 11.0 replaces the SDS version from Tuesday, 9 January 2024. Changes were made in sections 2, 11, 12, 13 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.



Page