

## [ Tiny but Mighty ]

3.6V/3.7V Li-ion / IMR / INR / ICR:


10440 14500 14650 16340 17335

17500 17670 18350 18490 18500

18650 18700 20700 21700 22650

25500 Flat-26650

Note: Cannot charge protected 20700/21700 batteries.





## [ Charge Everywhere ]

Compatible with all 5V USB power sources



5V Micro-USB Powered



computer



adapter



power bank



solar panel





## [ 0V Activation Function ]

Most batteries we discarded are over-discharged batteries, and 0V Activation Function brings them back to life. Originally invented by XTAR, we are still leading the technology.





## **[No Accidents Can Stop Charging]**

Shock Resistant Technology prevents batteries from falling out in any cases

**[Safe, Durable and Peace of Mind]**



CE, FCC, RoHS certified

1 year warranty

Extra-low safe input voltage


Temperature monitoring

Flame retardant material

Reverse polarity and short circuit protection

# [Battery Life Optimization]

Accurate cut-off, efficient charging, never overcharge



Li-ion: XTVTC4/2200mAh-0.5A

### [ MC1 Specification ]

Input	DC 5V/500mA
Constant current output	500mA
Cut-off Voltage	4.2V
Operation Temperature	0-40°C

**Net weight: 24g / Size: L92\*W22\*H26mm**



## [ New Package Contents ]

MC1 charger, USB cable, manual

