



Computer power supply

Model: **AK-B1-600**



Product code	AK-B1-600
Product type	Computer power supply
Format	ATX 2.31
Series	Basic
Responsible Entity	Akyga Europe Sp. z o.o., 52-200 Suchy Dwór, Wrocławska 1c, Polska/Poland, contact@akyga.com
Supply voltage	230 V
Power consumption	< 5 A
Efficiency	> 70 %
80 PLUS compatibility	No
80 PLUS certificate	None
Current on the +3.3V rail	35 A
Current on the +5V rail	38 A
Maximum load on +3.3V and +5V line	300 W
Current on the +12V rail	26 A
Maximum load on 12V line	312 W
Maximum power	600 W
Mainboard Power Connector	24-pin
Power connector ATX12V P4	1 pc
Power connector EPS12V 8 pin	None
Power connector PCI-E 6 pin	None
Power connector PCI-E 6+2 pin	1 pc
Power connector PCI-E 8 pin	None
Molex connector	2 pcs
Mini-Molex connector	1 pc
SATA connector	4 pcs
Modular power supply	No
PFC filter	Passive
Mechanical switch	Yes
Ground wire	Yes
OVP	Yes
OCP	Yes
OPP	Yes
OTP	Yes
SCP	Yes
UVP	None
Power supply connector	IEC C14
Fan size	120 mm
Fan adjustments	Automatic
Cable length	30 - 60 cm


Description

Akyga® AK-B1-600 ATX power supply **600W** is one of the basic power supplies in our offer dedicated to power desktop computers.

Made of high quality components, the power supply has a **4x SATA** connectors, **2x MOLEX** connectors, **mini-MOLEX** connector, **P4 4-pin** connector, **PCI-E 6+2-pin** connector, **EPS12V 4pin** connector and an universal **24-pin** motherboard connector. Supports **ATX 12V 2.0** specifications, so it can be used with current and next generation of platforms with multi-core processors. Silent 12 cm fan with chromed grill provide efficient cooling. **Manual on/off switch** allows for safe power cut off without the need of disconnecting the network cord. High efficiency and stable operation of the power supply affects the reliability of all computer components.

Several important protectors (OVP, OCP, OPP, OTP, SCP) and **PFC filter** protect and prevent main computer parts from damage and stabilize the operation of the power supply so that it works without any unwanted interference.

Cable map



Nameplate



Professional Power Supply Solutions

Model:
AK-B1-600

ATX12V v2.31

AC INPUT	230V / 50Hz / 5A				
DC OUTPUT	+3.3V	+5V	+12V	-12V	+5VSB
MAX CURRENT	35A	38A	26A	0.5A	2.5A
MAX COMBINED	300W		312W	18.5W	
TOTAL POWER	600W				

CAUTION!
Do not remove this cover. Trained service personnel only. No user serviceable parts inside.



EN 61000-3-12



5 901720 130358

EB35RB
Made in China Manufacturer: Ropla Computers sp. z o.o.
52-200 Suchy Dwór, Wrocławska 1c Polska / Poland

600W

BASIC
Series