

	Kalafonia				
Creation date 16th May 2022					
Revis	on date	14th January 2025	Version	14.0	
SECT	ION 1: Identification of	of the substance/mixture	and of the company/un	dertaking	
1.1.	Product identifier		Kalafonia	J	
	Substance / mixture		substance		
	Chemical name		COLOPHONIUM		
	CAS number		8050-09-7		
	Index number		650-015-00-7		
	EC (EINECS) number		232-475-7		
	Registration number		01-2119480418-3	32-XXXX	
1.2.	Relevant identified	uses of the substance or r	nixture and uses advise	d against	
	Substance's intende	ed use			
	Flux agent.				
	Substance uses edu	densed a secolar at			
	Substance uses adv	ised against			
		bt be used in ways other ther	those referred in Section	1.	
L.3.	The product should no	-		1.	
L. 3 .	The product should no	ot be used in ways other ther		1.	
L .3 .	The product should no Details of the suppl	ot be used in ways other ther ier of the safety data shee	et	1. irzegorz Gąsowski	
1.3.	The product should no Details of the suppli Distributor	ot be used in ways other ther ier of the safety data shee	et	irzegorz Gąsowski	
1.3.	The product should no Details of the suppli Distributor Name or trade r	ot be used in ways other ther ier of the safety data shee	e t AG TermoPasty G	irzegorz Gąsowski	
1.3.	The product should no Details of the suppli Distributor Name or trade r	ot be used in ways other ther ier of the safety data shee name	e t AG TermoPasty G Kolejowa 33 E, So	irzegorz Gąsowski	
1.3.	The product should no Details of the suppli Distributor Name or trade r Address	ot be used in ways other ther ier of the safety data shee name	e t AG TermoPasty G Kolejowa 33 E, So Poland	irzegorz Gąsowski	
1.3.	The product should no Details of the suppli Distributor Name or trade r Address Identification nu	ot be used in ways other ther ier of the safety data shee name	AG TermoPasty G Kolejowa 33 E, So Poland 200133730	irzegorz Gąsowski okoły, 18-218	
1.3.	The product should no Details of the suppli Distributor Name or trade r Address Identification nu VAT Reg No	ot be used in ways other ther ier of the safety data shee name	AG TermoPasty G Kolejowa 33 E, So Poland 200133730 PL9661767714	irzegorz Gąsowski okoły, 18-218 2	
1.3.	The product should no Details of the suppli Distributor Name or trade r Address Identification nu VAT Reg No Phone	ot be used in ways other ther ier of the safety data shee name	AG TermoPasty G Kolejowa 33 E, So Poland 200133730 PL9661767714 +48 86 274 13 43	irzegorz Gąsowski okoły, 18-218 2 y.pl	
1.3.	The product should no Details of the suppli Distributor Name or trade r Address Identification nu VAT Reg No Phone E-mail Web address	ot be used in ways other ther ier of the safety data shee name	AG TermoPasty G Kolejowa 33 E, So Poland 200133730 PL9661767714 +48 86 274 13 43 msds@termopasty	irzegorz Gąsowski okoły, 18-218 2 y.pl	
1.3.	The product should no Details of the suppli Distributor Name or trade r Address Identification nu VAT Reg No Phone E-mail Web address	ot be used in ways other ther ier of the safety data shee name umber (CRN)	AG TermoPasty G Kolejowa 33 E, So Poland 200133730 PL9661767714 +48 86 274 13 43 msds@termopast www.termopasty. data sheet	irzegorz Gąsowski okoły, 18-218 2 y.pl	
1.3.	The product should no Details of the suppli Distributor Name or trade r Address Identification nu VAT Reg No Phone E-mail Web address Competent person r	ot be used in ways other ther ier of the safety data shee name umber (CRN)	AG TermoPasty G Kolejowa 33 E, So Poland 200133730 PL9661767714 +48 86 274 13 43 msds@termopast www.termopasty. data sheet	irzegorz Gąsowski okoły, 18-218 2 y.pl .com irzegorz Gąsowski	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the substance in accordance with Regulation (EC) No 1272/2008 The substance is classified as dangerous.

Skin Sens. 1, H317 **Most serious adverse effects on human health and the environment** May cause an allergic skin reaction.

2.2. Label elements

Hazard pictogram



Signal word		
Warning		
Dangerous substance		
COLOPHONIUM		
(Index: 650-015-00-7; CAS: 8	050-09-7)	
Hazard statements		
H317	May cause an allergic skin reaction.	
Precautionary statements		
P261	Avoid breathing dust/fume/gas/mist/vapours,	/spray.
P272	Contaminated work clothing should not be all	owed out of the workplace.

Created in the aplication SBLCore 2024 Blue (24.12.5) www.sblcore.com



according to Commission Regulation (EU) 2020/878 as amended

Kalafonia				
Creation date	16th May 2022			
Revision date	14th January 2025	Version	14.0	
P280 Wear protective gloves.				
P302+P352 IF ON SKIN: Wash with plenty of water and soap.				
P333+P313	P333+P313 If skin irritation or rash occurs: Get medical advice/attention.			
P363				

Dispose of contents/container to according to applicable regulations.

P501 2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components. Dust may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

The substance specified below.

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
	substance main component			
Index: 650-015-00-7 CAS: 8050-09-7 EC: 232-475-7 Registration number: 01-2119480418-32- XXXX	COLOPHONIUM	100	Skin Sens. 1, H317	1

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. **If swallowed**

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

- If inhaled Not expected. If on skin May cause an allergic skin reaction. If in eyes Not expected. If swallowed Irritation, nausea.
- **4.3.** Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

Created in the aplication SBLCore 2024 Blue (24.12.5) www.sblcore.com



		Ka	alafonia		
Creati	Creation date 16th May 2022				
Revision date 14th January 2025 Version 14.0				14.0	
		,			
SECT. 5.1.	ON 5: Firefighting				
5.1.	Extinguishing me Suitable extinguis				
	•	am, carbon dioxide, powder, w	ator corav jot wator mist		
	Unsuitable exting		ater spray jet, water mist		
	Water - full jet.				
5.2.	5	rising from the substance o	r mixture		
5.2.	-	-		jases may arise. Inhalation of hazardou	
		vsis) products may cause serior			
5.3. Advice for firefighters					
5.3.	Advice for firefigh	nters			
5.3.	Use a self-containe	ed breathing apparatus and	, ,	ning. Self-Contained Breathing Apparation ontact is likely. Do not allow run-off	
5.3.	Use a self-containe (SCBA) with a che	ed breathing apparatus and	here personal (close) co	ontact is likely. Do not allow run-off	
	Use a self-containe (SCBA) with a che contaminated fire e	ed breathing apparatus and emical protection suit only w xtinguishing material to enter	here personal (close) co	ontact is likely. Do not allow run-off	
SECT	Use a self-containe (SCBA) with a che contaminated fire e	ed breathing apparatus and emical protection suit only w xtinguishing material to enter elease measures	there personal (close) co drains or surface and grou	ontact is likely. Do not allow run-off and water.	
	Use a self-containe (SCBA) with a che contaminated fire e CON 6: Accidental re Personal precauti	ed breathing apparatus and emical protection suit only w xtinguishing material to enter elease measures fons, protective equipment a	there personal (close) co drains or surface and grou and emergency procedu	ontact is likely. Do not allow run-off and water.	
SECT	Use a self-containe (SCBA) with a che contaminated fire e CON 6: Accidental re Personal precauti Use personal protect	ed breathing apparatus and emical protection suit only w xtinguishing material to enter elease measures fons, protective equipment a	there personal (close) co drains or surface and grou and emergency procedu	ontact is likely. Do not allow run-off and water.	
SECT: 6.1.	Use a self-containe (SCBA) with a che contaminated fire e ION 6: Accidental re Personal precauti Use personal protec and eyes.	ed breathing apparatus and emical protection suit only w xtinguishing material to enter elease measures fons, protective equipment a ctive equipment for work. Follo	there personal (close) co drains or surface and grou and emergency procedu	ontact is likely. Do not allow run-off and water.	
SECT: 6.1.	Use a self-containe (SCBA) with a che contaminated fire e CON 6: Accidental re Personal precauti Use personal protect and eyes. Environmental protect	ed breathing apparatus and emical protection suit only w xtinguishing material to enter elease measures tons, protective equipment a ctive equipment for work. Follo ecautions	where personal (close) co drains or surface and grou and emergency procedu w the instructions in the S	ontact is likely. Do not allow run-off and water.	
SECT: 6.1. 6.2.	Use a self-containe (SCBA) with a che contaminated fire e CON 6: Accidental re Personal precauti Use personal protect and eyes. Environmental pro Prevent contaminat	ed breathing apparatus and emical protection suit only w xtinguishing material to enter elease measures tons, protective equipment a ctive equipment for work. Follo ecautions tion of the soil and entering sur	there personal (close) co drains or surface and grou and emergency procedu w the instructions in the S face or ground water.	ontact is likely. Do not allow run-off and water.	
SECT: 6.1. 6.2.	Use a self-containe (SCBA) with a che contaminated fire e CON 6: Accidental re Personal precauti Use personal protect and eyes. Environmental pro Prevent contaminat Methods and mate	ed breathing apparatus and emical protection suit only w extinguishing material to enter elease measures fons, protective equipment a ctive equipment for work. Follo ecautions cion of the soil and entering sur erial for containment and cl	there personal (close) co drains or surface and grou and emergency procedu w the instructions in the S face or ground water. eaning up	ontact is likely. Do not allow run-off and water. Ires Sections 7 and 8. Prevent contact with sk	
SECT: 6.1. 6.2.	Use a self-containe (SCBA) with a che contaminated fire e CON 6: Accidental re Personal precauti Use personal protect and eyes. Environmental pro Prevent contaminat Methods and mate	ed breathing apparatus and emical protection suit only w extinguishing material to enter elease measures fons, protective equipment a ctive equipment for work. Follo ecautions ction of the soil and entering sur erial for containment and cl mechanically in an appropria	there personal (close) co drains or surface and grou and emergency procedu w the instructions in the S face or ground water. eaning up	ontact is likely. Do not allow run-off and water.	
SECT	Use a self-containe (SCBA) with a che contaminated fire e CON 6: Accidental re Personal precauti Use personal protect and eyes. Environmental pro Prevent contaminat Methods and mate Place the product	ed breathing apparatus and emical protection suit only w extinguishing material to enter elease measures tons, protective equipment a ctive equipment for work. Follo ecautions cion of the soil and entering sur erial for containment and cl mechanically in an appropria section 13.	there personal (close) co drains or surface and grou and emergency procedu w the instructions in the S face or ground water. eaning up	ontact is likely. Do not allow run-off and water. Ires Sections 7 and 8. Prevent contact with sk	

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

- **7.2.** Conditions for safe storage, including any incompatibilities Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.
- 7.3. Specific end use(s) not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

United Kingdom	EH40/2005 Workplace exposure l	imits (Fourth Edition 2020)
Substance name (component)	Туре	Value
COLOPHONIUM (CAS: 8050-09-7)	WEL 8h	0,05 mg/m ³
COLOPHONIUM (CAS: 8030-09-7)	WEL 15min	0,15 mg/m ³

Notes

Capable of causing occupational asthma.

DNEL

COLOPHONIUM			
Workers / consumers	Route of exposure	Value	Effect
Workers	Dermal	25 mg/kg bw/day	Chronic effects systemic
Workers	Inhalation	176.32 mg/m ³	Chronic effects systemic
Consumers	Oral	15 mg/kg bw/day	Chronic effects systemic
Consumers	Dermal	15 mg/kg bw/day	Chronic effects systemic
Consumers	Inhalation	52.174 mg/m ³	Chronic effects systemic

Page 3/9

Created in the aplication SBLCore 2024 Blue (24.12.5) www.sblcore.com

📶 TermoPasty®

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

	-	-
Kal	ato	nia
Nu	uiu	

Creation date 16th May 2022			
Revision date 14th January 20	25 Version	14.0	

PNEC

COLOPHONIUM		
Route of exposure	Value	
Drinking water	0.005 mg/l	
Marine water	0.0005 mg/l	
Freshwater sediment	108 mg/kg of dry substance	
Sea sediments	10.8 mg/kg of dry substance	
Soil (agricultural)	21.4 mg/kg of dry substance	
Microorganisms in sewage treatment	1000 mg/l	

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protectionIt is not needed.Skin protectionHand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.Respiratory protectionIt is not needed.Thermal hazardData not available.Environmental exposure controlsObserve usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	solid
Colour	yellow
Odour	specific
Melting point/freezing point	66.5-93.4 °C
Boiling point or initial boiling point and boiling range	data not available
Flammability	The product is non-flammable.
Lower and upper explosion limit	data not available
Flash point	>200 °C
Auto-ignition temperature	data not available
Decomposition temperature	200 °C
pH	data not available
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	3.0-6.2
Vapour pressure	400 Pa at 124.5 °C
Density and/or relative density	data not available
Relative vapour density	data not available
Particle characteristics	data not available
Other information	

9.2. Other informati not available

SECTION 10: Stability and reactivity

10.1. Reactivity

The substance is non-flammable.

Page 4/9

Created in the aplication SBLCore 2024 Blue (24.12.5) www.sblcore.com

🖊 Termo Pasty

SAFETY DATA SHEET

	according to Commission Re	egulation (EU) 2020/878 a	s amended	
	Ka	alafonia		
Creation date	16th May 2022			
Revision date	14th January 2025	Version	14.0	

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown. 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance.

Acute toxicity

Based on available data the classification criteria are not met.

COLOPHONIU	Μ
------------	---

COLOFICATOR						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	
Oral	LD 50	2800 mg/kg		Rat		
Oral	LD 50	>1000		Guinea-pig		
Dermal	LD 50	>2000 mg/kg		Rat		

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.



Created in the aplication SBLCore 2024 Blue (24.12.5) www.sblcore.com

📶 TermoPasty®

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

Kalafonia

Creation date	16th May 2022					
Revision date	14th January 2025	Version	14.0			

11.2. Information on other hazards

Endocrine disrupting properties

Based on available data the classification criteria are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

not available

Acute toxicity

COLOPHONI	UM					
Parameter	Method	Value	Exposure time	Species	Environme nt	Source
LL100	OECD 203	≤10 mg/l	24 hours	Fish (Branchydanio rerio)		anon,
NOELR	OECD 203	≤1 mg/l	96 hours	Fish (Branchydanio rerio)		anon.
LD50	OECD 203	60.3 mg/l	96 hours	Fish (Branchydanio rerio)		Schreerba um D
NOELR	OECD 203	≥1000 mg/l	96 hours	Fish (Pimephales promelas)		Kelly, C.R., Clayton, M.A.
LL50	OECD 203	>1000 mg/l	96 hours	Fish (Pimephales promelas)		Kelly, C.R., Clayton, M.A.
EL50	OECD 202	911 mg/l	48 hours	Daphnia (Daphnia magna)		Kelly, C.R., Clayton, M.A.
NOELR	OECD 202	75 mg/l	48 hours	Daphnia (Daphnia magna)		Kelly, C.R., Clayton, M.A.
NOELR	OECD 202	10	48 hours	Daphnia (Daphnia magna)		anon.
EL100	OECD 202	≤100 mg/l	48 hours	Daphnia (Daphnia magna)		anon.
NOELR	OECD 201	≥1000 mg/l	72 hours	Algae (Pseudokirchneriell a subcapitata)		Kelly, C.R., Clayton, M.A.
ELso	OECD 201	.1000 mg/l	72 hours	Algae (Pseudokirchneriell a subcapitata)	P 77	Kelly, C.R., Clayton, M.A.

12.2. Persistence and degradability

Data not available.

Biodegradability

COLOPHONIUM

Parameter	Value	Exposure time	Environment	Result	
				Easily biodegradable	

Page

6/9

Created in the aplication SBLCore 2024 Blue (24.12.5) www.sblcore.com



according to Commission Regulation (EU) 2020/878 as amended

Kalafonia

	Kararoma					
Creation date	16th May 2022					
Revision date	14th January 2025	Version	14.0			

12.3. Bioaccumulative potential

Data not available.

COLOPHONIUM						
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]	
BCF	56.23 ml/kg					

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Based on available data the classification criteria are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on available data the classification criteria are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Packaging waste type code

15 01 04 metallic packaging

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

- 14.2. UN proper shipping name
- not relevant 14.3. Transport hazard class(es)
- not relevant 14.4. Packing group
- not relevant 14.5. Environmental hazards
 - not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- **14.7.** Maritime transport in bulk according to IMO instruments not relevant

Created in the aplication SBLCore 2024 Blue (24.12.5) www.sblcore.com



according to Commission Regulation (EU) 2020/878 as amended

Kalafonia

	Kalaroma				
Creation date	16th May 2022				
Revision date	14th January 2025	Version	14.0		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

	ses used in the safety data sheet
H317	May cause an allergic skin reaction.
Guidelines for safe handling	g used in the safety data sheet
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container to according to applicable regulations.
Other important informatio	n about human health protection
The product must not be - unl as per the Section 1. The user	less specifically approved by the manufacturer/importer - used for purposes other than is responsible for adherence to all related health protection regulations.
Key to abbreviations and a	cronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EL100	Effective Loading for 100 % of the tested organisms
EL50	Effective Loading for 50 % of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
LL100	Lethal Loading for 100 % of tested organisms
LL50	Lethal Loading for 50 % of tested organisms
log Kow	Octanol-water partition coefficient
NOEL	No observed effect level

Page 8/9

Created in the aplication SBLCore 2024 Blue (24.12.5) www.sblcore.com



according to Commission Regulation (EU) 2020/878 as amended

Kalafonia

	Ka	alafonia		
Creation date	16th May 2022			
Revision date	14th January 2025	Version	14.0	
NOELR	No Observed Effect	t Loading Rate		
OEL	Occupational Expo	osure Limits		
PBT	Persistent, bioacc	umulative and toxic		
PMT	Persistent, mobile	and toxic		
ppm	Parts per million			
REACH	Registration, Eval	Registration, Evaluation, Authorisation and Restriction of Chemicals		
RID	Agreement on the	transport of dangerous g	joods by rail	
Skin Sens.	Skin sensitization			
UN	Four-figure identif Model Regulations		ostance or article taken from the UN	
UVCB	Substances of un biological materia		ition, complex reaction products or	
VOC	Volatile organic co	ompounds		
vPvB	Very persistent ar	d very bioaccumulative		
vPvM	Very persistent ar	id very mobile		

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 14.0 replaces the SDS version from Wednesday, 24 January 2024. Changes were made in sections 2, 11, 12, 13 and 16.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

Created in the aplication SBLCore 2024 Blue (24.12.5) www.sblcore.com