

according to Commission Regulation (EU) 2020/878 as amended

Flux Gel

Creation date 23rd June 2022 Version 8.0

Revision date 30th October 2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

L.1. Product identifier Flux Gel
Substance / mixture mixture

UFI TH00-003M-T001-TPRP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Flux agent.

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name AG TermoPasty Grzegorz Gąsowski Address Kolejowa 33 E, Sokoły, 18-218

Poland

Identification number (CRN)200133730VAT numberPL9661767714Phone+48 86 274 13 42Emailmsds@termopasty.plWeb addresswww.termopasty.com

Competent person responsible for the safety data sheet

Name AG TermoPasty Grzegorz Gąsowski

Email msds@termopasty.pl

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 Resp. Sens. 1, H334

Most serious adverse effects on human health and the environment

May cause an allergic skin reaction. Causes serious eye damage. Causes skin irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

2.2. Label elements

Hazard pictogram





Signal word

Danger

Hazardous substances

COLOPHONIUM succinic anhydride Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



according to Commission Regulation (EU) 2020/878 as amended

Flux Gel

Creation date 23rd June 2022 Version 8.0

Revision date 30th October 2025

Precautionary statements

Avoid breathing vapours.

P280 Wear protective gloves/protective clothing/eye protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components. Dust may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 650-015-00-7 CAS: 8050-09-7 EC: 232-475-7 Registration number: 01-2119480418-32- XXXX	COLOPHONIUM	<50	Skin Sens. 1, H317	1
Index: 607-103-00-5 CAS: 108-30-5 EC: 203-570-0 Registration number: 01-2119485841-30- XXXX	succinic anhydride	<5	Acute Tox. 4, H302 Skin Corr. 1, H314 Skin Sens. 1, H317 Resp. Sens. 1, H334 STOT SE 3, H335	

Notes

A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

Do not rub your eyes - it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.



according to Commission Regulation (EU) 2020/878 as amended

Flux Gel

Creation date 23rd June 2022 Version 8.0

Revision date 30th October 2025

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling dust can cause corrosion of the breathing system. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not inhale dust. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Content	Packaging type	Material of package
1,4 ml	syringe	PP
10 ml	syringe	PP
100 ml	box	PP
14 ml	syringe	PP



SAFETY DATA SHEET according to Commission Regulation (EU) 2020/878 as amended Flux Gel Creation date 23rd June 2022 Version 8.0 Revision date 30th October 2025

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Туре	Value
COLODUONIUM (CAC. 00FO 00 7)	WEL 8h	0,05 mg/m ³
COLOPHONIUM (CAS: 8050-09-7)	WEL 15min	0,15 mg/m ³

Notes

Capable of causing occupational asthma.

DNEL

COLOPHONIUM					
Workers / consumers	Route of exposure	Value	Effect		
Workers	Dermal	25 mg/kg bw/day	Chronic effects systemic		
Workers	Inhalation	176.32 mg/m ³	Chronic effects systemic		
Consumers	Oral	15 mg/kg bw/day	Chronic effects systemic		
Consumers	Dermal	15 mg/kg bw/day	Chronic effects systemic		
Consumers	Inhalation	52.174 mg/m ³	Chronic effects systemic		

succinic anhydride					
Workers / consumers	Route of exposure	Value	Effect		
Workers	Inhalation	10 mg/m ³	Chronic effects systemic		
Workers	Dermal	83.3 mg/kg bw	Chronic effects systemic		
Workers	Inhalation	0.41 mg/m ³	Chronic effects local		
Workers	Inhalation	10 mg/m ³	Acute effects systemic		
Workers	Dermal	167 mg/kg bw	Acute effects systemic		
Workers	Inhalation	0.41 mg/m ³	Acute effects local		
Workers	Dermal	0.04 mg/cm ²	Acute effects local		

PNEC

COLOPHONIUM	
Route of exposure	Value
Drinking water	0.005 mg/l
Marine water	0.0005 mg/l
Freshwater sediment	108 mg/kg of dry substance
Sea sediments	10.8 mg/kg of dry substance
Soil (agricultural)	21.4 mg/kg of dry substance
Microorganisms in sewage treatment	1000 mg/l

succinic anhydride	
Route of exposure	Value
Drinking water	0.1 mg/l
Marine water	0.01 mg/l
Water (intermittent release)	1 mg/l
Microorganisms in sewage treatment	3 mg/l



according to Commission Regulation (EU) 2020/878 as amended

Flux Gel

Creation date 23rd June 2022 Version 8.0

Revision date 30th October 2025

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation. In case of inadequate ventilation wear respiratory protection.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state solid

Colour data not available Odour characteristic Melting point/freezing point data not available Boiling point or initial boiling point and boiling range data not available Flammability data not available Lower and upper explosion limit data not available Flash point data not available Auto-ignition temperature data not available Decomposition temperature data not available data not available Kinematic viscosity data not available

Solubility in water insoluble

Solubility in fats data not available
Partition coefficient n-octanol/water (log value) data not available
Vapour pressure data not available

Density and/or relative density

Density ok.1.1 g/cm³ at 80 °C Relative vapour density data not available Particle characteristics data not available

Form paste

9.2. Other information

Evaporation rate non-applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.



according to Commission Regulation (EU) 2020/878 as amended

Flux Gel

Creation date 23rd June 2022 Version 8.0

Revision date 30th October 2025

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

COLOPHONIUM						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		2800 mg/kg		Rat	
Oral	LD50		>1000		Guinea-pig	
Dermal	LD ₅₀		>2000 mg/kg		Rat	

succinic anhydride							
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	
Oral	LD50	OECD 401	1.795 mg/kg		Rat		
Dermal	LD50	OECD 402	>2000 mg/kg		Rat		

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.





according to Commission Regulation (EU) 2020/878 as amended

Flux Gel

Creation date 23rd June 2022 Version 8.0

Revision date 30th October 2025

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

not available

Acute toxicity

COLOPHONI	:UM					
Parameter	Method	Value	Exposure time	Species	Environme nt	Source
LL100	OECD 203	≤10 mg/l	24 hours	Fish (Branchydanio rerio)		anon,
NOELR	OECD 203	≤1 mg/l	96 hours	Fish (Branchydanio rerio)		anon.
LD50	OECD 203	60.3 mg/l	96 hours	Fish (Branchydanio rerio)		Schreerba um D
NOELR	OECD 203	≥1000 mg/l	96 hours	Fish (Pimephales promelas)		Kelly, C.R., Clayton, M.A.
LL50	OECD 203	>1000 mg/l	96 hours	Fish (Pimephales promelas)		Kelly, C.R., Clayton, M.A.
EL50	OECD 202	911 mg/l	48 hours	Daphnia (Daphnia magna)		Kelly, C.R., Clayton, M.A.
NOELR	OECD 202	75 mg/l	48 hours	Daphnia (Daphnia magna)		Kelly, C.R., Clayton, M.A.
NOELR	OECD 202	10	48 hours	Daphnia (Daphnia magna)		anon.
EL100	OECD 202	≤100 mg/l	48 hours	Daphnia (Daphnia magna)		anon.
NOELR	OECD 201	≥1000 mg/l	72 hours	Algae (Pseudokirchneriell a subcapitata)		Kelly, C.R., Clayton, M.A.
EL50	OECD 201	.1000 mg/l	72 hours	Algae (Pseudokirchneriell a subcapitata)	P //7	Kelly, C.R., Clayton, M.A.

succinic anh	succinic anhydride						
Parameter	Method	Value	Exposure time	Species	Environme nt	Source	
LC50	OECD 203	>100 mg/l	96 hours	Fish (Danio rerio)			
EC50	OECD 202	>100 mg/l	48 hours	Daphnia (Daphnia magna)			
ErC50	OECD 201	>100 mg/l	72 hours	Algae (Pseudokirchneriell a subcapitata)			



SAFETY DATA SHEET according to Commission Regulation (EU) 2020/878 as amended Flux Gel Creation date 23rd June 2022 Version 8.0 Revision date 30th October 2025

succinic anhydride						
Parameter	Method	Value	Exposure time	Species	Environme nt	Source
EC50	OECD 209	>300 mg/l	3 hours	Bacteria	Activated sludge	

12.2. Persistence and degradability

not available

Biodegradability

COLOPHONIUM						
Parameter	Value	Exposure time	Environment	Result		
				Easily biodegradable		
succinic anhydride						
succinic annyariae						
Parameter	Value	Exposure time	Environment	Result		

12.3. Bioaccumulative potential

Data not available.

COLOPHONIUM					
Parameter	Method	Value	Temperature [°C]		
BCF		56.23 ml/kg			

succinic anhydride					
Parameter	Method	Value	Temperature [°C]		
Log Pow	OECD 117	2.44	40°C		

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.



according to Commission Regulation (EU) 2020/878 as amended

Flux Gel

Creation date 23rd June 2022 Version 8.0

Revision date 30th October 2025

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Guidelines for safe handling used in the safety data sheet

P261 Avoid breathing vapours.

P280 Wear protective gloves/protective clothing/eye protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox. Acute toxicity

ADR Agreement concerning the international carriage of dangerous goods by road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS



according to Commission Regulation (EU) 2020/878 as amended

Flux Gel

Creation date 23rd June 2022 Version 8.0

Revision date 30th October 2025

EC50 Concentration of a substance when it is affected 50 % of the population EINECS European Inventory of Existing Commercial Chemical Substances

EL₁₀₀ Effective Loading for 100 % of the tested organisms
EL₅₀ Effective Loading for 50 % of the tested organisms

EmS Emergency Response Procedures for Ships Carrying Dangerous Goods

EU European Union

EuPCS European Product Categorisation System

Eye Dam. Serious eye damage

IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

 LL_{100} Lethal Loading for 100 % of tested organisms LL_{50} Lethal Loading for 50 % of tested organisms

log Kow Octanol-water partition coefficient

NOEL No observed effect level

NOELR No Observed Effect Loading Rate
OEL Occupational Exposure Limits
PBT Persistent, bioaccumulative and toxic

PMT Persistent, mobile and toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

Resp. Sens. Respiratory sensitization

RID Regulation concerning the International Carriage of Dangerous Goods by Rail

Skin Corr. Skin corrosion
Skin Irrit. Skin irritation
Skin Sens. Skin sensitization

STOT SE Specific target organ toxicity - single exposure

UN number Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very persistent and very bioaccumulative

vPvM Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 8.0 replaces the SDS version from Monday, 3 February 2025. Changes were made in sections 2 and 16.

More information

Page



according to Commission Regulation (EU) 2020/878 as amended

Flux Gel

Creation date 23rd June 2022 Version 8.0

Revision date 30th October 2025

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

